

Fall 2017, Math 304

Final Exam
Sample

Last name:

First name:

UIN:

“An Aggie does not lie, cheat or steal or tolerate those who do.”

This exam consists of **ten** problems, the total point value of which is 100 points.

The answer to each question must be **justified in detail**.

The duration of this exam is two hours.

The use of electronic devices, such as cellphones, tables, laptops, and calculators is prohibited.

Good luck!

Problem 1.

Consider the vectors in \mathbb{R}^4 : $x_1 = \begin{bmatrix} 1/2 \\ 1/2 \\ 1/2 \\ -1/2 \end{bmatrix}$, $x_2 = \begin{bmatrix} 1/6 \\ 1/6 \\ 1/2 \\ 5/6 \end{bmatrix}$, $x_3 = \begin{bmatrix} -\sqrt{2}/2 \\ \sqrt{2}/2 \\ 0 \\ 0 \end{bmatrix}$, $x_4 = \begin{bmatrix} \sqrt{2}/3 \\ \sqrt{2}/3 \\ -\sqrt{2}/2 \\ \sqrt{2}/6 \end{bmatrix}$.

- (i) Find $\|x_1\|$, $\|x_2\|$, $\|x_3\|$, and $\|x_4\|$. *1 pts.*
- (ii) Find $\langle x_1, x_2 \rangle$, $\langle x_1, x_3 \rangle$, $\langle x_1, x_4 \rangle$, $\langle x_2, x_3 \rangle$, $\langle x_2, x_4 \rangle$, and $\langle x_3, x_4 \rangle$. *1 pts.*
- (iii) If $w = [1 \ 1 \ 1 \ 1]^T$ write this vector as $w = c_1x_1 + c_2x_2 + c_3x_3 + c_4x_4$. *2 pts.*
- (iv) Write the transition matrix from the basis $F = \{x_1, x_2, x_3, x_4\}$ to the usual basis $E = \{e_1, e_2, e_3, e_4\}$ and the transition matrix from E to F . *2 pts.*
- Take $u = (-\sqrt{2}/2)x_1 + (1/2)x_2 + (\sqrt{2}/3)x_3 + (1/6)x_4$ and $z = (\sqrt{2}/2)x_2 + (2/3)x_3 + (\sqrt{2}/6)x_4$.
- (v) Find $\|u\|$ and $\|z\|$. *2 pts.*
- (vi) Find $\langle u, z \rangle$. *1 pts.*
- (vii) Find the angle θ between u and z . *1 pts.*

Problem 2. Let S be the subspace of \mathbb{R}^4 spanned by $x = \begin{bmatrix} 1 \\ 2 \\ 0 \\ 0 \end{bmatrix}$, $y = \begin{bmatrix} 0 \\ 1 \\ 2 \\ -1 \end{bmatrix}$.

- (i) Find an orthonormal basis of S . *3 pt.*
- (ii) Write the orthogonal projection matrix P onto S . *2 pt.*
- (iii) Find an orthonormal basis for the orthogonal complement S^\perp of S . *2 pt.*
- (iv) Find the orthogonal projection matrix \tilde{P} onto S^\perp . *2 pt.*
- (v) What is $P + \tilde{P}$? *1 pt.*

Problem 3.

Consider the vector space $C[-1, 1]$ endowed with the inner product

$$\langle f, g \rangle = \int_{-1}^1 f(x)g(x)dx.$$

If $f(x) = x$ and $g(x) = x^2 + x$ let $S = \text{Span}\{f, g\}$ as a subspace of $C[-1, 1]$. Use the the Gram-Schmidt orthogonalization process to find an orthonormal basis for the space S . *10 pts.*

Problem 4.

Consider the matrix

$$A = \begin{bmatrix} 2 & 1 \\ -1 & -2 \end{bmatrix}.$$

- (i) What is the determinant of A ? *3 pt.*
- (ii) What is the trace of A ? *3 pt.*
- (iii) What are the eigenvalues of A . *3 pt.*
- (iv) Is A diagonalizable? *Justify your answer.* *1 pt.*

Problem 5.

Consider the matrix

$$A = \begin{bmatrix} -1 & 2 & 1 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{bmatrix}.$$

- (i) Write the characteristic polynomial of A and find the eigenvalues of A . *4 pt.*
- (ii) What are the eigenspaces of A ? *4 pt.*
- (iii) Is A diagonalizable? *Justify your answer.* *2 pt.*

Problem 6.

(i) Consider the matrix

$$A = \begin{bmatrix} 3 & 3 & -1 \\ 2 & 3 & 2 \\ 2 & -1 & 6 \end{bmatrix}.$$

It is given that 3 and 5 are eigenvalues of A . Find all eigenvalues of A . *4 pt.*

(ii) If B is a 2×2 matrix with $\text{tr}(B) = 5$ and $\det(B) = 4$ find all the eigenvalues of the matrix B . *4 pt.*

(iii) If C is a 3×3 matrix with $\text{tr}(C) = 5$ and $\lambda_1 = 1 + i$ is an eigenvalue of C find all the eigenvalues of C . *2 pt.*

Problem 7.

- (i) If D is an $n \times n$ diagonal matrix all diagonal entries of which are either 1 or -1 show that necessarily $D^2 = I$. *4 pt.*
- (ii) If A is an $n \times n$ orthogonal matrix and λ is an eigenvalue of A show that necessarily $|\lambda| = 1$. *4 pt.*
- (iii) If A is a diagonalizable $n \times n$ orthogonal matrix and it has only real eigenvalues show that necessarily $A^2 = I$. *2 pt.*

Problem 8. Let A be a 2×2 orthogonal matrix with eigenvalues $\lambda_1 = 1$ and $\lambda_2 = -1$.

(i) If x_1 is an eigenvector of A belonging to $\lambda_1 = 1$ and x_2 is an eigenvector of A belonging to $\lambda_2 = -1$ show that $x_1 \perp x_2$. *4 pt.*

We additionally assume that $x_1 = \left[\frac{\sqrt{2}}{2} \quad \frac{\sqrt{2}}{2} \right]^T$ is an eigenvector of A belonging to $\lambda_1 = 1$.

(ii) Find the eigenspace of A belonging to $\lambda_2 = -1$. *4 pt.*

(iii) Find the matrix A . *2 pt.*

Problem 9.

- (i) Let A be an $n \times n$ matrix. Show that A is singular if and only if $\lambda = 0$ is an eigenvalue of A . *4 pt.*
- (ii) Let A be a non-singular $n \times n$ matrix and let λ be an eigenvalue of A with corresponding eigenvector \mathbf{x} . Show that $1/\lambda$ is an eigenvalue of A^{-1} with corresponding eigenvector \mathbf{x} . *4 pt.*
- (iii) If A is a 2×2 matrix with eigenvalues 2, 3 and corresponding eigenvectors $[1 \ 0]^\top$, $[-1 \ 1]^\top$ find A^{-1} . *2 pt.*

Problem 10. A patch of farmland has a total area of 1000 acres. Initially, 30% of the area is covered by shrubs and 70% is clear. Every year $\frac{1}{10}$ of the clear area is reclaimed by the shrubs and $\frac{3}{10}$ of the shrubland is cleared manually.

- (i) Find the area of the shrubland and the clear area after one year. *5 pt.*
- (ii) Find the area of the shrubland and the clear area after k years. *3 pt.*
- (iii) Find the area of the shrubland and the clear area as $k \rightarrow \infty$. *2 pt.*

